



DEVELOPING CONCUSSION POLICIES:

A Guide for School Districts



OKLAHOMA

State Department of Health



▶ TABLE OF CONTENTS

3	INTRODUCTION
4	POLICY COMPONENTS
4	Purpose Statement
5	Education and Training Requirements
5	Athlete and Parent/Guardian Education
6	Team and Game Official Education
7	Concussion Response
7	Removal from Play
8	Evaluation and Clearance to Return
9	Penalties
10	Concussion Management
11	Return to Learn
12	Return to Play
14	APPENDICES
14	Appendix A: Concussion Fact Sheet for Athletes
16	Appendix B: Concussion Fact Sheet for Parents/Guardians
18	Appendix C: Sample Acknowledgment Form
19	Appendix D: Concussion Fact Sheet for Coaches
21	Appendix E: Return to Learn Protocol
23	Appendix F: Return to Play Protocol



The Injury Prevention Service (IPS) of the Oklahoma State Department of Health (OSDH) created *Developing Concussion Policies: A Guide for School Districts* to assist in writing and implementing policies for the prevention and management of sports- and recreation-related concussions in accordance with Oklahoma state law ([70 O.S. § 24-155](#)). For any questions related to this guide, to request technical assistance, or to request printed materials, please contact the IPS by e-mail at concussion@health.ok.gov or by phone at 405.426.8440.

➤ How to Use This Guide

Effective concussion policies should not only be in compliance with Oklahoma law, the Health Insurance Portability and Accountability Act (HIPAA), and the Family Educational Rights and Privacy Act (FERPA), but also provide clear guidance for implementation. This document is designed to assist your district in creating such policies.

The guide is laid out as follows:

POLICY SECTION — These are the main components of policy required by state law.

PURPOSE — This is a brief explanation of the purpose and importance of each section of the policy.

POLICY SUBSECTION — Some policy sections are broken down into subsections. For example, the Education and Training Requirements section is divided into two subsections: “Athlete and Parent/Guardian Education” and “Team and Game Official Education.”

THINGS TO CONSIDER — These are questions to ask and things to consider when writing your district’s policy.

- *What* is being required?
- *Who* is responsible?
- *How* will this be implemented?
- *When* will this be done and how frequently?

EXAMPLE LANGUAGE — At the end of each section is sample policy language that can be adapted and customized to fit your district’s structure.

➤ Policy Components



➤ Purpose Statement

Your district should establish a purpose statement to open the concussion policy. The purpose statement should reinforce the seriousness of childhood concussions, state the intention of the policy, and cite the state law mandating the policy.

➤ Things to Consider:

- **What requirements will be set for regular review and revision of the policy?**
 - How often will the policy be reviewed (e.g., annually)?
 - What position will be responsible for identifying needed revisions (e.g., updates to state law)?
- **What position(s) will be responsible for implementation of the policy?**
 - Individual position (e.g., athletic director, coach, athletic trainer)
 - Team-based approach

➤ Example Language

The [school district] recognizes that concussions, a type of traumatic brain injury (TBI), are serious injuries with negative outcomes that can affect an individual physically, emotionally, behaviorally, and/or cognitively, with the potential for long-term impacts on brain development. While concussions have many causes, these brain injuries are commonly sustained by youth participating in athletics or other recreational activities. The purpose of this policy is to maximize safety with respect to sports- and recreation-related concussions by educating staff, team and game officials, athletes, and parents/guardians about concussions; providing guidance on how to prevent and manage concussions; and supporting youth returning to activities after a concussion, in accordance with Oklahoma state law ([70 O.S. § 24-155](#)). This policy will be reviewed on an annual basis. The [assigned position] will be responsible for reviewing requirements of state law against this concussion policy and for seeking any technical assistance needed for policy review and revision. The [assigned position(s)] will be responsible for implementation of this policy.

➤ Education and Training Requirements

Concussion policies should establish standards for regular, ongoing concussion education and training for athletes, parents/guardians, and team and game officials. Consistent presentation of accurate and current concussion information is essential in the prevention and management of childhood concussions.

Athlete and Parent/Guardian Education

State law requires athletes and their parents/guardians receive a concussion fact sheet on an annual basis, before participating in an athletics program. This policy section should include what type of information is included in the fact sheet (e.g., symptoms, risks, dangers of returning to play too quickly). The policy should also detail procedures for collecting and maintaining signed acknowledgment forms from athletes and parents/guardians stating they have received the information sheet and understand its contents. The following materials are available at

<https://concussion.health.ok.gov>:

- ▶ [Concussion Fact Sheet for Athletes](#) (Appendix A)
- ▶ [Concussion Fact Sheet for Parents/Guardians](#) (Appendix B)
- ▶ [Sample Acknowledgment Form](#) (Appendix C)



➤ Things to Consider:

- **What fact sheet(s) and acknowledgment form will your district use?**
 - Will these be appended to the policy?
- **How will concussion information be disseminated to athletes and parents/guardians?**
 - During what time period (e.g., during enrollment/registration, sports physicals, tryouts)?
- **Who will be responsible for distributing concussion information?**
- **Who will be responsible for collecting and maintaining completed acknowledgment forms?**
 - Where will records be maintained (e.g., administrative office, individual schools)?
 - How will forms be collected (e.g., in-person, email, fax) and stored (e.g., electronic files, hard copy storage)?
- **Who will verify acknowledgment form completion prior to athletics participation?**
- **What penalties will be set for allowing athletes to participate without record of a current, completed acknowledgment form?**

➤ Example Language

On an annual basis, the [assigned position] will provide athletes and their parents/guardians concussion information on the nature and risk of the injury, including the risk of continuing to play after a concussion. Athletes and parents/guardians must complete, annually, an acknowledgment form affirming receipt and understanding of the provided concussion information. These acknowledgment forms must be turned in to the [assigned position] prior to participation in practice or competition; original hard copy forms will be stored in [location]. The [assigned position] will be responsible for verifying receipt of a completed acknowledgment form prior to athletics participation. Staff, including volunteers, who knowingly allow an athlete to participate in practice or competition prior to receipt of the completed acknowledgment form will be subject to discipline according to the Penalties section of this policy. (See appendix for fact sheet(s) and acknowledgment form.)

Team and Game Official Education


State law requires team and game officials to complete annual concussion training provided by the Centers for Disease Control and Prevention (CDC), the National Federation of State High School Associations (NFHS), or a comparable program or resource. Documentation of completed training must be maintained and readily available upon request. No team or game official may be entrusted with the care and safety of athletes without documentation of training. Concussion trainings and a supplemental concussion fact sheet for coaches can be accessed at <https://concussion.health.ok.gov>.

► [Concussion Fact Sheet for Coaches](#) (Appendix D)

The CDC and NFHS trainings are free of charge and can be completed online. Each training provides a certificate of completion that can serve as the documentation of completed training required by state law.

► [CDC online concussion training](#)

► [NFHS online concussion training](#)



► Things to Consider:

■ How does your district define “team officials?”

- Who is responsible for athletes and held to training requirements (e.g., coaches, athletic directors, athletic trainers)?

■ How does your district define “game officials?”

- How are game officials retained (e.g., employees, contract employees, volunteers)?

■ How will training be provided?

- What space will be used?
- Will computer and internet access be provided?

■ When will training be completed?

- During what time frame (e.g., academic year, sports season)?
- Will there be a deadline to submit training documentation?

■ How will your district collect, verify, and maintain training records?

- Are there differences in collecting and maintaining training records for volunteers?
- Who will be responsible for maintaining records of completion?
- Where will records be maintained (e.g., administrative office, individual schools)?
- How will forms be stored (e.g., electronic files, hard copy storage)?

■ What penalties will be set for not meeting training requirements?

► Example Language

On an annual basis, team and game officials must complete [selected training]. Training must be completed by [identified team and game officials] before the [identified time frame]. The [assigned position(s)] will be responsible for coordinating space and computer access, maintaining training documentation to be readily available upon request, and storing original hard copy training certificates in [location]. No team or game official may be entrusted with the care and safety of athletes prior to completion of annual concussion training. Participation in athletics programs without documentation of current concussion training will result in discipline according to the Penalties section of this policy.

► Concussion Response

Appropriate response to a suspected concussion is essential for an athlete's safety and recovery after the injury. The response portion of the concussion policy should cover the following: when to remove an athlete from play, medical evaluation, and requirements for returning to activities. Policies should prioritize athletes' health and safety first and foremost and reinforce penalties for failure to follow concussion policy protocols.

Removal from Play

Removing an athlete from play immediately after a suspected concussion is the first step to protect them from further injury. Signs and symptoms of a concussion may not appear for hours or days after the initial impact. A second hit to the head or body, before an initial concussion has healed, can be deadly, a rare but devastating event referred to as second impact syndrome. Concussion policies should detail who is responsible for removing an athlete from play and when an athlete should be removed. Because signs and symptoms of a concussion do not always emerge immediately after a blow to the head or body, policies should not limit removal from play to immediate signs of injury. Once an athlete is removed from play, they may not return to play on the same day of the injury without written clearance from an evaluating health care provider.

► Things to Consider:

- **How will the injury be documented?**
 - Who is responsible for documenting the injury incident?
 - What information will be included (e.g., date and time of injury, circumstances, signs of concussion, symptoms reported)?
- **What position(s) within your district will be notified of the incident?**
 - Who will be responsible for these notifications?
- **How will your district communicate with parents/guardians after an athlete is removed from play?**
 - Who is responsible for contacting an athlete's parents/guardians?
 - What concussion information will be provided to parents/guardians?
- **Will your district conduct any follow-up with the athlete's family?**
 - Who will be responsible for follow-up?
 - How will follow-up contact be documented?
- **What is your district's Emergency Action Plan?**
 - Who is the assigned medical administrator ([70 O.S. § 27-104](#))?

► Example Language

Any team or game official who becomes aware or suspects that an athlete has sustained a concussion should immediately remove the athlete from the practice or game. Athletes should be removed from play when:

- *An athlete has taken, or is suspected to have taken, a blow or impact to the head or body with potential to cause a concussion.*
- *A team or game official becomes aware or suspects that an athlete is exhibiting signs, symptoms, or behaviors consistent with sustaining a concussion.*

*The **[assigned position(s)]** will be responsible for initial and follow-up communication with district staff and the athlete's parents/guardians, documenting injury circumstances and follow-up, and, when appropriate, enacting the Emergency Action Plan.*

Evaluation and Clearance to Return

A licensed health care provider should evaluate athletes removed from play for a suspected concussion. Athletes must receive written clearance from a licensed health care provider, who is trained in concussion management, to return to activities post-concussion. Permission to return to activities from parents/guardians is not acceptable, nor is verbal clearance from any source. State law defines a “health care provider” as an individual who is registered, certified, licensed, or otherwise recognized by the state to provide medical or psychological treatment and who is trained and experienced in the evaluation, management, and care of concussions ([70 O.S. § 24-155](#)). Policies should detail procedures for collecting and storing releases for athletes to return to activities after a concussion.

Before returning to athletics, an athlete should complete the Return to Learn Protocol and be symptom free for at least 24 hours. If school is not in session, the athlete should have returned to all activities of daily living and been symptom free for at least 24 hours.



➤ Things to Consider:

- **Who will be responsible for collecting and maintaining clearance records?**
 - Where will records be maintained (e.g., administrative office, individual schools)?
 - How will records be stored (e.g., electronic files, hard copy storage)?
 - How long will records be maintained?
 - How will HIPAA and FERPA requirements be met?
- **How will your district proceed until written clearance is received (e.g., will the athlete be put on a no-play list)?**
 - Who will coordinate?

➤ Example Language

*Athletes who have been removed from practice or competition because of a suspected concussion will not be allowed to return to play the same day. Prior to beginning the Return to Play Protocol, the athlete must complete the Return to Learn Protocol (or have returned to all activities of daily living and been symptom free for at least 24 hours when school is not in session) and receive written clearance to return to play from a licensed health care provider. An athlete’s parent/guardian is not eligible to give consent for the athlete to return to activities. Verbal clearance is not acceptable. The **[assigned position]** will be responsible for collecting records of written clearance, maintaining records in **[location]**, and coordinating appropriate support(s) for an athlete to return to activities. Staff, including volunteers, who knowingly allow an athlete to participate in practice or competition prior to receipt of written clearance to return to play from a licensed health care provider will be subject to discipline according to the Penalties section of this policy.*

► Penalties

School districts' concussion policies must include predetermined penalties for team and game officials who do not remove an athlete from play upon a suspected concussion. Oklahoma's concussion law sets *minimum* penalty standards and also prohibits assessing monetary fines as penalties ([70 O.S. § 24-155](#)). School districts may establish more severe penalties than these minimums, but all penalties should be established in policy before enforcement. The following are the *minimum penalties required by state law*:



- **First violation:** “Required completion of additional concussion recognition and management education as predetermined by the governing board.” Additional training must be documented, with record of completion readily available upon request.
- **Second violation:** “Suspension from the sport or activity until an appearance in front of the governing board.” The appearance before the board of education may involve a determination as to whether or not the individual will continue in their game or team role with the district.

► Things to Consider:

- **How will your district make team and game officials aware of these penalties?**
 - When will notification occur (e.g., during onboarding, with annual concussion training, pre-sports season, before the academic year)?
- **Who will be responsible for coordinating penalty enforcement?**
 - How will volunteers be held to penalty standards?
- **Who will be responsible for maintaining records of additional training?**
 - Where will records be maintained (e.g., administrative office, individual schools)?
 - How will records be stored (e.g., electronic files, hard copy storage)?
 - How long will records be maintained?

► Example Language

Any team or game official who does not remove an athlete from a practice or competition upon a suspected concussion shall be subject to the following penalties. Team and game officials include **[specify all applicable coaching, athletic, and officiating staff]**. The first violation will require the official to complete additional concussion recognition and management education. **[Specify the selected additional training.]** Completion of this training must be documented and submitted to the **[assigned position]**. The **[assigned position]** will be responsible for maintaining training documentation to be readily available upon request and storing original hard copy training certificates in **[location]**. Upon a second violation, the official will be suspended from the sport or activity until an appearance in front of the **[district leadership]**. The appearance before the **[district leadership]** may involve a determination as to whether or not the individual will continue in their game or team role with the district.



► Concussion Management

After a concussion, returning to activities – classroom, athletics, or other – must be managed appropriately to promote full recovery. The concussion management section of the policy should detail how your district will implement the Return to Learn and Return to Play Protocols.

Concussions can have many causes outside of athletics. Regardless of the cause, effective concussion management requires a wraparound, collaborative approach with several team members contributing to supporting youth in the gradual return to activities. This concussion management team approach will be influenced by the capacity of the school district and staff and availability of resources. Coaches, school nurses and counselors, teachers, district staff and/or administrators are all examples of possible concussion management team members. These individuals play a vital role in creating a culture that values safety and open communication, encourages reporting of concussion symptoms, and supports youth throughout the process of recovery.

► Concussions Off the Field

Concussions have many causes and are not limited to sports and recreation. Other common causes of concussions include:

- **Falls**
 - Falls cause 49% of brain injuries among children (CDC, 2019)
- **Motor vehicle crashes**
 - Traffic crashes
 - All-terrain vehicle (ATV) crashes
- **Being struck by or against an object or another person**
 - Domestic violence
 - Assault
 - Abusive head trauma

School districts need to be prepared to support athletes who suffer a concussion off the playing field. Your district must follow the same protocols to protect these athletes and gradually return them to play just as you would if the athlete sustained a concussion during a practice or competition. For more information, visit <https://concussion.health.ok.gov>.

What if You Suspect Abuse?

Every person in Oklahoma who has reason to believe that a child under 18 has been abused or neglected or is in danger of being abused or neglected is **required by law** to immediately make a report.

Oklahoma Child Abuse Hotline (24-hour statewide): 1.800.522.3511

Return to Learn

After a concussion, athletes should gradually return to the classroom by following the Return to Learn Protocol. The athlete's evaluating health care provider should provide a return to school letter to begin this process and may be able to provide recommendations for temporary, symptom-based accommodations. The Return to Learn Protocol for Oklahoma is available at <https://concussion.health.ok.gov>.

▶ [Return to Learn Protocol](#) (Appendix E)

➤ Things to Consider:

- How will your district train staff on Oklahoma's Return to Learn Protocol?
 - Will the protocol be appended to the policy?
- Who will coordinate the Return to Learn Protocol?
- Who will maintain records of Return to Learn Protocol completion?
 - Where will records be maintained (e.g., administrative office, individual schools)?
 - How will records be stored (e.g., electronic files, hard copy storage)?

➤ Example Language

An athlete should have written clearance from a licensed health care provider to return to school after a suspected concussion. Schools will follow any short-term/informal classroom adaptation recommendations provided by the athlete's health care provider. Schools will follow the Return to Learn Protocol (see appendix) to return an athlete to full classroom participation. The [assigned position] will coordinate school staff in supporting the athlete during this process. The [assigned position] will support school staff in assessing needs and capacity for assembling a concussion management team.



Return to Play

An athlete must have written clearance from a licensed health care provider before beginning to return to athletics after a suspected concussion. Like returning to the classroom and other activities, this is a gradual process and should be guided by the Return to Play Protocol. Athletes must complete the Return to Learn Protocol before returning to play when school is in session; when school is not in session, athletes must have returned to all activities of daily living and been symptom free for at least 24 hours. If concussion symptoms return or worsen at any point when following the Return to Play Protocol, the athlete must stop the protocol. The Return to Play Protocol for Oklahoma is available at <https://concussion.health.ok.gov>.



▶ [Return to Play Protocol](#) (Appendix F)

➤ Things to Consider:

- **How will your district train staff on Oklahoma’s Return to Play Protocol?**
 - Will the protocol be appended to the policy?
- **Who will coordinate the Return to Play Protocol?**
- **Who will maintain records of Return to Play Protocol completion?**
 - Where will records be maintained (e.g., administrative office, individual schools)?
 - How will records be stored (e.g., electronic files, hard copy storage)?
- **Who will document and notify parents/guardians of new/returning concussion signs and symptoms?**

➤ Example Language

*After a concussion, an athlete must progress through the Return to Play Protocol ([see appendix](#)) before they are allowed to return to full athletics participation. The athlete should have already completed the Return to Learn Protocol or, outside of the academic year, have returned to all activities of daily living and been symptom free for at least 24 hours before beginning the Return to Play Protocol. The athlete must have written clearance from a licensed health care provider to begin the Return to Play Protocol. The **[assigned position]** will be responsible for overseeing and documenting the athlete’s return to play progress. If concussion symptoms return while going through the protocol, the **[assigned position]** must document this and report it to the athlete’s parent/guardian. The athlete may not participate in full practice or in competition until they have completed the Return to Play Protocol.*

➤ Conclusion

Concussions are serious injuries that affect how the brain functions. These effects can be short term, lasting only a few hours or a couple of days, to long term/lifelong. A concussion can happen at home, school, or play. Everyone, from parents and coaches to sports league officials and school professionals, can play an important role in learning how to spot a concussion, and knowing what to do if they think a child or teen has a concussion. Oklahoma state law requires all school districts to have a policy in place that addresses concussion education, prevention, and management ([70 O.S. § 24-155](#)). This guide can help your district develop a concussion policy that meets the requirements of state law and promotes athletes’ health and safety. For technical assistance, printed materials, and questions related to this guide, contact the Injury Prevention Service at concussion@health.ok.gov or 405.426.8440.

Contributors

David Bales, MPH, CSP, REHS

US Public Health Service

Chris Berry, MEd

YMCA

Ben Buchanan, PT, DPT, OCS, AIB-VR/CON

Physical Therapy Central

Antonio Carbajal

Oklahoma City Fire Department

Shana Classen, MEd

Oklahoma State Department of Education

Steven Couch, MD

Children's Center Rehabilitation Hospital

CJ Fedor, MEd, ATC

Oklahoma Athletic Trainers' Association

Laura Gamino, RN, MPH, MCHES, CPSTI

OU Health

Lauren Long

Concussion Connection

Lorry-Gail Malcom, MS

Oklahoma State Department of Health

Ashley McAllister, MD

OU Health

Jeff McKibbin, MEd, ATC, LAT

University of Central Oklahoma (retired)

Alicia Murie

TBI Raiders

Kim Quinn, MEd

Oklahoma State Department of Health

Avy Redus, MS

Oklahoma State Department of Health

Alison Taylor

Oklahoma Parent Teacher Association

Ron Walker, EdD, AT, CSCS

University of Tulsa

Tracy Wendling, DrPH

Oklahoma State Department of Health

Taylor York

YMCA

Concussion Facts

Youth Athletes




What is a concussion?

When an athlete gets their “bell rung” or gets “lit up” they have suffered a concussion. Concussions are a type of *traumatic brain injury (TBI)*. Concussions are caused by a bump, blow, hit, or jolt to the head or body that moves the head and brain rapidly back and forth. Falling or being hit against or by another person or object are common causes of concussions. Your head doesn’t have to be struck to cause a concussion; for example, a body-to-body hit has the potential to cause a concussion.



What does a concussion do to my brain?

When you experience a concussion, your brain may bounce or twist inside your skull, sometimes stretching or damaging brain cells and causing chemical changes within the brain. A concussion interrupts your brain’s functioning. When your brain is injured by a concussion, the injury can affect you physically, emotionally, behaviorally, and/or cognitively (how you think).



Can concussion risk be reduced?

YES! There are ways to reduce your risk of a concussion. Practice good sportsmanship and follow your coach’s instructions for safe game play. If you play contact sports, learn the fundamentals and appropriate techniques. Make sure bicycle, athletic, and ATV helmets fit properly and are worn consistently. While a helmet doesn’t prevent a concussion, it does protect your head from more severe injuries.



Can I keep playing after a concussion?

Your brain needs time to heal after a concussion. If you *continue to play* or *return to play too soon*—before your brain has finished healing—you have a greater chance of getting another concussion. **A repeat concussion that occurs while your brain is still healing can be very serious and can affect you for a lifetime. It can even be fatal.** If you think you may have sustained a concussion during a practice or game, **immediately** talk to your coach, game official, athletic trainer, or parent/guardian and **remove yourself from play**. Do **not** return to play on the same day as the injury. You need to see a health care provider to be evaluated for a concussion and given written clearance to return to play.



SIGNS AND SYMPTOMS

There are many signs and symptoms of a concussion. **Concussion symptoms may appear minutes, hours, or days after the initial injury.** Symptoms may be physical, emotional, behavioral, or cognitive (affect thinking). You may notice these symptoms yourself or someone else may observe them. If you experience any of these symptoms after a blow to the head or body, tell someone immediately.

Physical

- Headache or pressure in the head
- Dizziness, balance problems
- Nausea or vomiting
- Sensitivity to noise, ringing in ears
- Sensitivity to light, blurry or double vision
- Feel tired
- Tingling
- Do not “feel right”
- Feel dazed, stunned

Emotional/Behavioral

- Become irritable
- Become sad or depressed
- More emotional than usual
- Anxious or nervous
- Personality or behavioral changes such as becoming impulsive

Cognitive

- Trouble thinking clearly
- Trouble concentrating
- Trouble remembering, can’t recall events before or after the hit
- Feel sluggish, hazy, foggy, or groggy
- Feel “slowed down”
- Repeat questions or answer questions more slowly
- Confusion
- Forget routine things

DANGER SIGNS

If one or more of these symptoms emerges after a hit to the head or body, **IMMEDIATELY** call 911 or get someone to drive you to the nearest emergency room.

- One pupil larger than the other
- Drowsy or cannot wake up
- Headache that gets worse and does not go away
- Slurred speech, weakness, numbness
- Decreased coordination
- Loss of consciousness
- Repeated vomiting or ongoing nausea
- Shaking or twitching (convulsions or seizures)
- Unusual behavior, increased confusion, restlessness, or agitation

Learn more:

concussion.health.ok.gov | 405.426.8440



Concussion Facts

Parents & Guardians




What is a concussion?

When an athlete gets their “bell rung” or gets “lit up” they have suffered a concussion. Concussions are a type of *traumatic brain injury (TBI)*. When a child or adolescent sustains a concussion, their brain may bounce or twist inside the skull, sometimes stretching or damaging brain cells and causing chemical changes within the brain. This movement interrupts the brain’s functioning and can impact your child physically, emotionally, cognitively, and behaviorally.



How do concussions happen?

Concussions are caused by a bump, blow, hit, or jolt to the head or body that moves the head and brain rapidly back and forth. Common causes are falls and being hit against or by another person or object. Your child’s head does not have to be struck to cause a concussion – a body-to-body hit has the potential to cause a concussion.



Can concussion risk be reduced?

YES! There are ways to reduce your child’s risk of a concussion. Talk to your child about practicing good sportsmanship and following coaches’ instructions for safe game play. Make sure bicycle, athletic, and ATV helmets fit properly and are worn consistently. While a helmet doesn’t prevent a concussion, it does protect your child’s head from more severe head injuries. Make sure your child’s school and sports organizations have established concussion policies and protocols; they should have procedures in place for coach training and returning to learn and play after a concussion.



Can my child keep playing after a concussion?

The brain needs time to heal after a concussion. An athlete who *continues to play* or who *returns to play too soon* – before the brain has finished healing – has a greater chance of getting another concussion. **A repeat concussion that occurs while the brain is still healing can be very serious and can affect a child for a lifetime. It can even be fatal.** If you suspect your child has sustained a concussion during a practice or a game, make sure they are **immediately** removed from play. Do **not** allow your child to return to play on the same day as the injury.



SIGNS AND SYMPTOMS

There are many signs and symptoms of a concussion. **Concussion symptoms may appear minutes, hours, or days after the initial injury.** Symptoms may be physical, emotional, behavioral, or cognitive (affect thinking). You may observe these signs in your child or your child may report symptoms to you.

Physical

- Headache or pressure in the head
- Dizziness, balance problems
- Nausea or vomiting
- Sensitivity to noise, ringing in ears
- Sensitivity to light, blurry or double vision
- Feels tired
- Tingling
- Does not “feel right”
- Seems dazed, stunned

Emotional/Behavioral

- Becomes irritable
- Becomes sad or depressed
- More emotional than usual
- Anxious or nervous
- Personality or behavioral changes, such as becoming impulsive

Cognitive

- Trouble thinking clearly
- Trouble concentrating
- Trouble remembering, can’t recall events before or after the hit
- Feels sluggish, hazy, foggy, or groggy
- Feels “slowed down”
- Repeats questions or answers questions more slowly
- Confusion
- Forgets routine things

DANGER SIGNS

If one or more of these signs emerges after a hit to the head or body, **IMMEDIATELY** call 911 or take your child to the nearest emergency room.

- One pupil larger than the other
- Drowsy or cannot wake up
- Headache that gets worse and does not go away
- Slurred speech, weakness, numbness
- Decreased coordination
- Loss of consciousness
- Repeated vomiting or ongoing nausea
- Shaking or twitching (convulsions or seizures)
- Unusual behavior, increased confusion, restlessness, or agitation

Learn more:

concussion.health.ok.gov | 405.426.8440



► Appendix C: Sample Acknowledgment Form

SAMPLE Concussion Fact Sheet Acknowledgment Form

In compliance with Oklahoma Statute Section 24-155 of Title 70, this acknowledgment form is to confirm that you have read and understood the athlete and parent/guardian concussion information sheet(s) on potential concussions that can occur during participation in athletics provided to you by _____.

I, _____, as an athlete who participates in athletics
(Please PRINT student/athlete's name)

at _____ and I, _____
(Please PRINT legal guardian's name)

as the parent/guardian, have read the concussion information provided to us by

_____. **We understand the information and warnings, including, but not limited to, the signs and symptoms of a concussion and the dangers of continuing to participate in or returning to athletics too quickly after a concussion.**

(Signature of student/athlete)

(Date)

(Signature of parent/legal guardian)

(Date)

This acknowledgment form must be completed annually prior to the student/athlete's participation in practice/competition.

Concussion Facts

Coaches



What is a concussion?

When an athlete gets their “bell rung” or gets “lit up” they have suffered a concussion. A concussion is a type of *traumatic brain injury (TBI)* caused by a bump, blow, hit, or jolt to the head or body that moves the head and brain rapidly back and forth. This sudden movement can cause the brain to bounce or twist inside the skull, sometimes stretching and damaging brain cells and creating chemical changes in the brain. The effects of a concussion can be serious and should be treated as such. The brain continues to grow and develop into the mid-twenties; disruptions to that development from a TBI in childhood or adolescence can have long-term consequences on the brain’s functioning.



When an athlete takes a hit

If you suspect an athlete has sustained a concussion, **immediately** remove them from play. Do **not** allow the athlete to return to play on the same day as the injury (unless the athlete is evaluated by a licensed health care provider who provides *written* clearance allowing same-day return to play). Record the time and circumstances of the injury, along with any concussion signs/symptoms you observe or the athlete reports to you, and provide this information to the medical team.



WHEN IN DOUBT, SIT THEM OUT

The brain needs time to heal after a concussion. An athlete who continues to play or who returns to play too soon – before the brain has finished healing – has a greater chance of getting another concussion. **A repeat concussion that occurs while the brain is still healing can be very serious and can affect an athlete for a lifetime. It can even be fatal.**



MYTH: A concussion always causes you to lose consciousness (pass out).

FACT: Most concussions don’t cause you to pass out. In fact, concussion symptoms may not appear for hours or days after the hit.



SIGNS AND SYMPTOMS

There are many signs and symptoms of a concussion. **Concussion symptoms may appear minutes, hours, or days after the initial injury.** Symptoms may be physical, emotional, behavioral, or cognitive (affect thinking). You may observe these signs in an athlete or the athlete may report symptoms to you.

Physical

- Headache or pressure in the head
- Dizziness, balance problems
- Nausea or vomiting
- Sensitivity to noise, ringing in ears
- Sensitivity to light, blurry or double vision
- Feels tired
- Tingling
- Does not “feel right”
- Seems dazed, stunned

Emotional/Behavioral

- Becomes irritable
- Becomes sad or depressed
- More emotional than usual
- Anxious or nervous
- Personality or behavioral changes, such as becoming impulsive

Cognitive

- Trouble thinking clearly
- Trouble concentrating
- Trouble remembering, can't recall events before or after the hit
- Feels sluggish, hazy, foggy, or groggy
- Feels “slowed down”
- Repeats questions or answers questions more slowly
- Confusion
- Forgets routine things

DANGER SIGNS

If one or more of these signs emerges after a hit to the head or body, **IMMEDIATELY** call 911 or tell the parent/guardian to take the athlete to the nearest emergency room.

- One pupil larger than the other
- Drowsy or cannot wake up
- Headache that gets worse and does not go away
- Slurred speech, weakness, numbness
- Decreased coordination
- Loss of consciousness
- Repeated vomiting or ongoing nausea
- Shaking or twitching (convulsions or seizures)
- Unusual behavior, increased confusion, restlessness, or agitation

Learn more:

concussion.health.ok.gov | 405.426.8440



RETURN TO LEARN: BACK TO CLASS AFTER A CONCUSSION

WHAT IS A CONCUSSION AND HOW CAN IT IMPACT LEARNING?

- A concussion is a type of traumatic brain injury (TBI) caused by a bump, blow, or jolt to the head or body that moves the head and brain rapidly back and forth, causing the brain to bounce or twist in the skull. Concussion symptoms can impact a student physically, cognitively, and emotionally. These symptoms may disrupt the student's ability to learn, concentrate, keep track of assignments, process and retain new information, tolerate light and noise, and appropriately regulate emotions and behaviors. School professionals play a vital role in creating a culture that values safety and open communication, encourages students to report symptoms, and supports students throughout the process of recovery. Teachers and other school staff can provide symptom-based classroom accommodations while the student's brain continues to heal from the concussion. Supports can be lifted as the brain heals and concussion symptoms no longer keep the student from full classroom participation.
- After a concussion, it is as important to rest the brain as it is the body. Students will need an initial break, usually 2 to 3 days, from cognitive activities such as problem solving, concentrating or heavy thinking, learning new things, memorizing, reading, texting, computer or mobile device time, video games, and watching television. Upon clearance from their health care provider, students can gradually return to learning activities.
- Providing appropriate support for a student returning to school after a concussion requires a collaborative team approach. Teachers, school counselors, school nurses, school administration, parents/guardians, the student, and the student's health care provider are examples of these team members. Continuous communication between students, caregivers, health care providers, and school staff is vital to ensure the student's individual needs are understood and consistently met by their support team throughout recovery.

CONCUSSION SIGNS TO WATCH FOR IN THE CLASSROOM

- Increased problems paying attention or concentrating
- Increased problems remembering or learning new information
- Longer time needed to complete tasks or assignments
- Difficulty organizing tasks or shifting between tasks
- Inappropriate or impulsive behavior during class
- Greater irritability or more emotional than usual
- Less ability to cope with stress
- Difficulties handling a stimulating school environment (lights, noise, etc.)
- Physical symptoms (headache, fatigue, nausea, dizziness)

EXAMPLES OF SCHOOL SUPPORTS



- Reduce assignments and homework to key tasks only and base grades on adjusted work.
- Provide extra time to work on assignments and take tests.
- Provide written instructions, study guides, and/or help for classwork.
- Limit tests to one per day.
- Allow students to demonstrate understanding of a concept orally instead of in writing.
- Provide class notes and/or allow students to use a computer or tape recorder to record classroom information.



- Allow time to visit the school nurse for treatment of headaches or other symptoms.
- Provide rest breaks.
- Provide extra time to go from class to class to avoid crowds.
- If students are bothered by light, allow sunglasses, blue light blocking glasses, or sitting in a less bright location (e.g., draw blinds, sit them away from windows).
- If students are bothered by noise, provide noise-reducing headphones and a quiet place to study, test, or spend lunch or recess.
- Do not substitute concentration activities for physical activity (e.g., do not assign reading instead of PE).



- Develop an emotional support plan (e.g., identify an adult with whom they can talk if feeling overwhelmed).
- Locate a quiet place students can go when feeling overwhelmed.
- Students may benefit from continued involvement in certain extracurricular activities, such as organizational or academic clubs, as approved by their health care provider.
- Arrange preferential seating, such as moving the student away from windows (e.g., bright light) or talkative peers, or closer to the teacher.

Provide structure and consistency; make sure all teachers are using the same strategies.

RETURN TO LEARN PROTOCOL

OVERVIEW

Every student will experience a concussion differently. One student may spend an extended time in one return to learn phase, while another may not need a particular phase at all.



PHASE 1

No school

A licensed health care provider should provide written clearance for a student to return to school after a concussion. A concussion management team should be assembled and begin to develop a plan for the student.



PHASE 2

Half-day attendance with accommodations

The concussion management team leader should meet with the student and their parents to review information from the health care provider (e.g., current symptoms and recommended accommodations), concussion management team member roles and responsibilities, and the initial concussion management plan.



PHASE 3

Full-day attendance with accommodations

Monitor the student for worsening or reemerging symptoms during class. The concussion management team should be communicating on a regular basis to evaluate progress and collaborating to revise the concussion management plan as needed based on any changes in symptoms or symptom severity.



PHASE 4

Full-day attendance without symptoms

When the student can participate in all classes and has been symptom free for at least 24 hours, they may begin the Return to Play Protocol for physical activities at school (e.g., gym, PE classes, athletics participation).



PHASE 5

Full school and extracurricular involvement

For most students, accommodations for concussion recovery are temporary and informal. When recovery is prolonged, however, formal support services (e.g., an individualized education plan, a response to intervention protocol, or 504 plan) may be needed to support the student.

To learn more about supporting students returning to learn after a concussion, visit <https://concussion.health.ok.gov>

Learn more:
concussion.health.ok.gov | 405.426.8440



RETURN TO PLAY: BACK TO SPORTS AFTER A CONCUSSION



Before you begin:



An athlete's progression through the Return to Play Protocol should be monitored by a designated return to play case manager such as a coach, athletic trainer, or school nurse.



Each step should take a *minimum* of 24 hours; it should take at least one week to proceed through the full Return to Play Protocol. This process can take several weeks or months, depending on the individual and the injury.



If concussion symptoms return at any step during the return to play process, the protocol must be stopped. The athlete may only resume return to play activities when they have been symptom free for a *minimum* of 24 hours. Return to play progression must resume at the step before symptoms reemerged.

*Example: An athlete going through the Return to Play Protocol has progressed to Step 5 (practice and contact) when concussion symptoms return. Return to play activities must be halted until the symptoms stop and remain absent for at least 24 hours. At that point, the Return to Play Protocol resumes; **however**, the athlete restarts at Step 4 (heavy non-contact activity), the step **before** concussion symptoms reemerged.*

WHEN IN DOUBT, SIT THEM OUT

Athletes should not begin the Return to Play Protocol on the same day of the injury. A licensed health care provider must evaluate the athlete and provide written clearance for the athlete to return to activity. Continuing to play, or returning to play too soon, after a concussion increases the chances of sustaining another concussion. A repeat concussion that occurs while the brain is still healing from the first injury can be very serious and can affect an athlete for a lifetime.

It can even be fatal.

RETURN TO PLAY PROTOCOL

STEP 1: BACK TO REGULAR ACTIVITIES



Goal: Complete normal activities and remain symptom free for at least 24 hours



STEP 2: LIGHT AEROBIC ACTIVITY



Goal: Minimal increase in heart rate

Time: 5-10 minutes

Feels easy: walking \leq 2 mph, stretching exercises

NO weight lifting, resistance training, jumping, or hard running.



STEP 3: MODERATE ACTIVITY



Goal: Noticeable increase in heart and respiratory rates with limited body and head movement

Time: Less time than typical routine

Feels fairly easy to somewhat hard: brisk walking (15 min/mile)

NO head impact activities. **NO** helmet or other equipment use.



STEP 4: HEAVY NON-CONTACT ACTIVITY



Goal: High-intensity activity without contact

Time: Close to typical routine

Non-contact training drills in full uniform, weight lifting, resistance training, running, high-intensity stationary cycling.



STEP 5: PRACTICE AND CONTACT



Goal: Return to practice, full contact as applicable to sport



STEP 6: RETURN TO PLAY



Goal: Return to full game play, practice, and competition



Learn more:
concussion.health.ok.gov | 405.426.8440

